


AD-A285 191



**Aviation Epidemiology Data Register:
Coronary Angiography Outcomes
of Civilian Aviators
Flying U.S. Army Aircraft**

By

**Kevin T. Mason
and
Samuel G. Shannon**



Aircrew Protection Division

August 1994

94-31402



Approved for public release; distribution unlimited.

**United States Army Aeromedical Research Laboratory
Fort Rucker, Alabama 36362-0577**

Notice

Qualified requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.

Disposition

Destroy this document when it is no longer needed. Do not return it to the originator.

Disclaimer


The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

Reviewed:



KEVIN T. MASON
LTC, MC, MFS
Director, Aircrew Protection
Division

Released for publication:



ROGER W. WILEY, O.D., Ph.D.
Chairman, Scientific
Review Committee

DENNIS F. SHANAHAN
Colonel, MC, MFS
Commanding

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release, distribution unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) USAARL Report No. 94-39			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION U.S. Army Aeromedical Research Laboratory		6b. OFFICE SYMBOL (If applicable) SGRD-UAD-IE	7a. NAME OF MONITORING ORGANIZATION U.S. Army Medical Research, Development, Acquisition and Logistics Command		
6c. ADDRESS (City, State, and ZIP Code) P.O. Box 620577 Fort Rucker, AL 36362-0577			7b. ADDRESS (City, State, and ZIP Code) Fort Detrick Frederick, MD 21702-5012		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO. 62787A	PROJECT NO. 0162787A878	TASK NO. HC
11. TITLE (Include Security Classification) Aviation Epidemiology Data Register: Coronary angiography outcomes of civilian aviators flying U.S. Army aircraft					
12. PERSONAL AUTHOR(S) Kevin T. Mason, and Samuel G. Shannon					
13a. TYPE OF REPORT Final		13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Year, Month, Day) 1994 August		15. PAGE COUNT 16
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Databases, epidemiology, coronary artery disease, aviators, coronary angiography		
05	02				
06	05				
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>All Army aviators participate in a cardiovascular disease screening program. Five percent of Army aviators are civilian. The U.S. Army Aviation Center requested a review of cardiovascular disease screening outcomes among this subgroup of aviators. The AEDR was queried to determine the coronary angiography outcomes of civilian aviators who failed levels 1 and 2 of cardiovascular disease screening program during the period 1988 to 1992.</p> <p>Among 847 civilian aviators, 364 failed level 1 cardiovascular disease screening due to elevated risk factors for coronary artery disease. Among the 364, 289 passed level 2 screening with a normal exercise treadmill test and a normal cardiac fluoroscopy. The remaining 75 failed level 2 by having an abnormal exercise treadmill test and/or an abnormal cardiac fluoroscopy. These 75 were referred for further diagnostic testing in levels 3 and 4.</p> <p style="text-align: right;">(Continued on next page)</p>					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL Chief, Science Support Center			22b. TELEPHONE (Include Area Code) (205) 255-6907		22c. OFFICE SYMBOL SGRD-UAX-SI

19. Abstract (Continued)

Of the 55 aviators undergoing coronary angiography, 17 had normal coronary arteries, 14 had uncomplicated minimal coronary artery disease, 3 had complicated minimal coronary artery disease, and 21 had significant coronary artery occlusions. Eight other aviators had advanced heart conditions other than coronary artery disease, such as cardiomyopathy. Of 36 aviators with documented significant cardiovascular disease, 32 (88.9 percent) denied symptoms when their disease was detected by the screening program. They were referred for clinical, and in some cases, emergent care.

The positive predictive value of an abnormal graded exercise treadmill test for significant coronary artery occlusion by coronary angiography was 33.3 percent. The positive predictive value of an abnormal cardiac fluoroscopy for significant coronary artery occlusion by coronary angiography was 53.3 percent. There was a significant association between the finding of cardiac calcifications by cardiac fluoroscopy and significant coronary artery occlusions by angiography ($OR=5.1$, $CI_{95}=1.56, 16.9$). Six of the 21 aviators with significant coronary artery disease had an abnormal cardiac fluoroscopy with normal treadmill tests and normal thallium scans. Thallium scan fails to predict disease ≥ 50 percent of the time. Selection of aeromedical catheterization candidates should not be based on thallium scan results when either the graded exercise treadmill test or cardiac fluoroscopy are abnormal.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution _____	
Av _____	
Dist _____	
A-1	

Table of contents

	Page
List of tables	1
Background	3
Military relevance	3
Cardiovascular disease and flying	3
Aviation Epidemiology Data Register	5
U.S. Army cardiovascular disease screening program	5
Method	5
Results	5
Age distribution	5
Cardiac findings	7
Discussion	10
Summary and conclusions	11
References	12
Appendix A. U.S. Army aeromedical cardiovascular disease screening program: principles and guidelines	14
Appendix B. Age distribution tables for Fort Rucker civilian aviators	16

List of tables

Table

1. Incidence of sudden death stratified by age and gender	4
2. Annual incidence rate of general aviation mishaps due to cardiovascular incapacitation per 100,000 pilots by age group	4
3. Age distribution of civilian aviators examined at Fort Rucker from 1988 through 1992 by decade age cohorts	6

List of tables (Continued)

4. Comparison of civilian aviator age cohorts by single years or averaged year pairs from 1988 to 1992	6
5. Summary findings of 75 civilian aviators failing levels 1 and 2 of the cardiovascular disease screening program from 1988 to 1992	7
6. Administrative disposition of 75 cases failing levels 1 and 2 of the cardiovascular disease screening program from 1988 to 1992	8
7. Analysis of image-intensified cardiac fluoroscopy and coronary angiography outcomes	8
8. Analysis of graded exercise treadmill test and coronary angiography outcomes	9
9. Analysis of planar thallium scan and coronary angiography outcomes	9
B-1. Age distribution of civilian aviators examined at Fort Rucker from 1988 to 1992	16

Background

Military relevance

In mid-1993, the Commander, Aviation Training Brigade, Chief of Staff, U.S. Army Aviation Center, and Commander, U.S. Army Aeromedical Center, Fort Rucker, Alabama, requested a review of the cardiovascular disease screening program outcomes of civilian aviators in the Fort Rucker area from when the program was modified in 1988 until 1992. This technical report summarizes the cardiovascular disease screening outcomes extracted from the Aviation Epidemiology Data Register (AEDR) for this subgroup of Army aviators. Five percent of Army aviators are civilian. Civilian aviators are a unique subgroup with an older average age than military aviators, placing them at greater risk for developing diseases associated with aging, to include coronary artery disease (Mason and Shannon, 1994a; Mason and Shannon, 1994b).

Cardiovascular disease and flying

The U.S. Army owns and operates "public use" aircraft. Agencies that own public use aircraft are responsible for the medical certification of aircrew flying the aircraft, both military and civilian aircrew members. The Army is responsible for the safe operation of Army aircraft over public and private property. It carries the burden of liability for the aircrew, equipment, and property in the event of a mishap. The Army wants to conserve the aircrew member training investment, anticipating an aircrew member will remain medically qualified during a flying career. Therefore, the Army has developed medical fitness standards for flying duties, conducts an examination program, and makes final disposition on medically disqualified cases.

One facet of the examination program is screening for cardiovascular disease, especially asymptomatic coronary artery disease. Coronary artery disease is the leading cause of unexpected, premature death in our society, especially in men over the age of 40. Advanced disease is present often without symptoms. The first symptoms of coronary artery disease can be dramatic and incapacitating, to include sudden death (55 percent), severe chest pain, nausea, vomiting, and loss of consciousness. The risk for coronary artery disease increases significantly after the age of 40 (Kannel et al., 1975; Kannel and McGee, 1985). Table 1 shows the biennial incidence rate of sudden death due to coronary artery disease per 1,000 U.S. population stratified by age.

Table 1.
Incidence* of sudden death stratified by age and gender.

Gender	Age				
	<45	45-54	55-64	65-74	≥75
Male	0.8	2.0	4.0	6.0	8.2
Female	0.0	0.5	1.1	2.5	6.1

* Incidence is biennial rate of sudden death per 1000 in the U.S. population (adapted from Kannel and McGee, 1985).

Internationally, the leading cause of permanent removal from flying duties is cardiovascular disease, primarily coronary artery disease. Despite medical preselection, health monitoring, and availability of preventive care, aircrew members with adverse cholesterol profiles are at higher risk for developing coronary artery disease (Hickman, 1987; Loecker et al., 1992; Mason, 1992).

Three of every 1,000 general aviation mishaps are associated with inflight medical incapacitation. Forty percent of these medical incapacitations are due to cardiovascular disease. The risk for cardiovascular medical incapacitation inflight increases with age, significantly after 50 years old, as shown in Table 2. Inflight medical incapacitation is associated with a fatal aircraft mishap 84 percent of the time (Booze, 1989; Dark, 1983).

Table 2.
Annual incidence rate of general aviation mishaps due to cardiovascular incapacitation per 100,000 pilots by age group.*

Age group	<29	30-39	40-49	50-59	>60
Incidence per 100,000 pilots	0.0	0.6	2.3	3.0	22.0
Expected cases per year	0.0	1.6	3.9	3.1	5.4

* Adapted from Booze, 1989.

Aviation Epidemiology Data Register

The AEDR is a family of related databases that stores the history and physical parameters of U.S. Army aviators. The database elements include a sequential file of all history and physical elements derived from the annual flying duty medical examination (FDME file) and an index of significant diagnoses (waiver and suspense file) that references a medicolegal document archive of the aeromedical board summary findings. The outcomes of coronary angiography are referenced in the diagnoses index. The detailed histories of cases are found in the image library.

U.S. Army aeromedical cardiovascular disease screening program

The U.S. Army aeromedical cardiovascular disease screening program uses a stratified four-level approach to screening and diagnosis. After age 39, a progressive series of screening tests are applied to those with an increased risk at each level. Those at greatest risk for asymptomatic coronary artery disease are referred for cardiac catheterization. Appendix A outlines the program in greater detail (Department of the Army, 1991a).

Method

The AEDR FDME file was searched for physicals conducted on Fort Rucker, Alabama, area civilian aviators during calendar years 1986 to 1992. The identified aviators were cross-referenced with the waiver and suspense file searching for failure of level 1 of the cardiovascular disease screening program. The medical document archive for each identified case was reviewed. The findings of cardiovascular disease tests among those aviators failing the various levels of screening were tabulated.

Statistical Analysis Systems software was used for analysis (SAS Institute, Incorporated, 1992). Cross tabulations and univariate analysis were derived using SAS® PROC FREQ.

Results

Age distribution

The age distribution by decade of civilian aviators examined at Fort Rucker from 1988 to 1992 is shown in Table 3 (derived from Table B-1, Appendix B). Aviators enter the cardiovascular disease screening program at age 40. Table 4 shows the relationship between two age cohorts divided at 40 years old from 1988 through 1992. The percentage of civilian aviators examined at Fort Rucker who are 40 or older was 76.5 percent in 1988, and increased to 80.9 percent in 1992. The increase in the number of civilian aviators who are age 40 or older was significant, whether you compare single years ($p=0.0064$), or average year-pairs, 1988-1989 and 1991-1992 ($p=0.004$).

Table 3.
Age distribution of civilian aviators examined at Fort Rucker
from 1988 through 1992 by decade age cohorts.

Age cohort	1988 N	1989 N	1990* N	1991 N	1992** N
20-29	34 (5.7%)	34 (5.7%)	31 (4.8%)	18 (3.0%)	9 (1.9%)
30-39	107 (17.8%)	111 (18.5%)	117 (18.0%)	100 (16.6%)	83 (17.2%)
40-49	290 (48.3%)	297 (49.5%)	348 (53.6%)	318 (52.9%)	240 (49.7%)
50-59	137 (22.8%)	129 (21.5%)	129 (19.9%)	144 (24.0%)	129 (26.7%)
60 or >	32 (5.4%)	29 (4.8%)	24 (3.7%)	21 (3.5%)	22 (4.5%)
Total N	600	600	649	601	483

* Population increase likely due to Desert Shield efforts.

** Reductions begin in the Fort Rucker civilian pilot work force.

Table 4.
Comparison of civilian aviator age cohorts by single years
or averaged year-pairs from 1988 to 1992.

Comparison	Single years		Averaged year-pairs	
	1988	1992	1988-1989	1991-1992
Age < 40 (N)	141 (23.50%)	92 (19.05%)	143 (23.84%)	105 (19.34%)
Age ≥ 40 (N)	459 (76.50%)	391 (80.95%)	457 (76.16%)	437 (80.66%)

Cardiac findings

An average of 586 civilian aviators were examined annually at Fort Rucker from 1988 through 1992. Accounting for new hires, retirements, and layoffs, there were 847 different individuals examined in this period (Mason and Shannon, 1994b). Among 847 civilian aviators, 364 (43.0 percent) failed level 1 cardiovascular disease screening due to elevated risk factors for coronary artery disease. Among the 364, 289 (79.4 percent) passed level 2 screening with a normal exercise treadmill test and a normal cardiac fluoroscopy. Among the 364, 75 (20.6 percent) failed level 2 by having an abnormal exercise treadmill test and/or an abnormal cardiac fluoroscopy. These 75 were referred for further diagnostic testing in levels 3 and 4. Of the 75, 68 (90.6 percent) were eligible for military health care to complete levels 3 and 4. The remaining seven (9.4 percent) had to rely on private insurance or personal funding to complete the evaluation. The case histories of the 75 aviators failing both levels 1 and 2 of the screening program are summarized in Table 5.

Table 5.
Summary findings of 75 civilian aviators failing levels 1 and 2 of the cardiovascular disease screening program from 1988 to 1992.

Category of outcome	N=75
Declined further evaluation, condition unknown.	8
Had significant heart diseases other than coronary artery disease, such as cardiomyopathy, recurrent ventricular tachycardia, etc.	8
Underwent coronary angiography and were found to have-	
Normal coronary arteries or intimal roughening only.	17
Minimal coronary artery disease, uncomplicated.	4
Minimal coronary artery disease, complicated by other heart conditions.	3
Significant coronary artery disease.	21
Had symptomatic events while on full flying duties.	4

The administrative dispositions of the 75 civilian aviators failing levels 1 and 2 are summarized in Table 6. Thirty-one were returned to flying duties with an aeromedical waiver for their medical condition and 44 were medically terminated from aviation service. Of the 36 aviators with documented significant cardiovascular disease, 32 (88.9 percent) denied symptoms when their disease was detected by the screening program. The incidence of new cases increased as the new screening program was placed into effect in 1988. The incidence dramatically decreased after 1990. This likely is due to case finding phenomenon caused by a major change in screening program methods in 1988, followed by identified cases not being subject to repeat screening.

The analysis of cardiac test findings and coronary angiography outcomes are summarized in Tables 7 through 9.

Table 6.
Administrative disposition of 75 cases failing levels 1 and 2 of the cardiovascular disease screening program from 1988 to 1992.

Year	Number of new cases failing Level 2		
	Waiver	Suspension	Total
1988 (N)	3	6	9
Incidence*	5.0	10.0	15.0
1989 (N)	7	12	19
Incidence	11.6	20.0	31.6
1990 (N)	10	16	26
Incidence	15.4	24.6	40.0
1991 (N)	7	9	16
Incidence	11.6	15.0	26.6
1992 (N)	4	1	5
Incidence	8.3	2.1	10.4

* New cases per 1000 aviator-years per year.

Table 7.
Analysis of image-intensified cardiac fluoroscopy and coronary angiography outcomes*.

Fluoroscopy	Angiography	Significant CAD only		Any degree of occlusion	
		Yes	No	Yes	No
Abnormal		16	14	26	4
Normal**		4	18	10	12
Positive predictive value		53.3%		86.7%	
Odds ratio		5.1		7.8	
95% C.I.		(1.40,18.9)		(2.03,30.0)	

* All patients failed Level 1 CAD screening.

** All patients with normal fluoroscopy had an abnormal exercise treadmill test.

Table 8.
Analysis of graded exercise treadmill test and coronary angiography outcomes*.

Angiography	Significant CAD only		Any degree of occlusion	
	Yes	No	Yes	No
Graded exercise treadmill				
Abnormal	13	26	25	14
Normal or borderline**	8	8	13	3
Positive predictive value	33.3%		64.1%	
Odds ratio	0.50		0.41	
95% C.I.	(0.153,1.64)		(0.100,1.70)	

* All patients failed Level 1 CAD screening.

** All patients with normal graded exercise treadmill test had an abnormal cardiac fluoroscopy.

Table 9.
Analysis of planar thallium scan and coronary angiography outcomes*.

Angiography	Significant CAD only		Any degree of occlusion	
	Yes	No	Yes	No
Thallium scan				
Abnormal	8	3	10	1
Normal or borderline	9	22	21	10
Positive predictive value	72.7%		90.9%	
False negative rate	52.9%		67.7%	
Odds ratio	n/a**		n/a**	

* All patients had an abnormal fluoroscopy or abnormal graded exercise treadmill test before thallium scanning.

** Inadequate sample size for multivariate analysis.

Discussion

Army civilian aviators are mostly retired military aviators or are associated with the Army Reserve or Army National Guard (Mason and Shannon, 1994b). Their average age is in the zone of exponentially increasing risk for coronary artery disease events. From 1988 to 1992, 42 in 100 (362/847) were found to be at high risk for coronary artery disease in the primary level of stratified risk assessment. Nine in 100 (75/847) were found to be at higher risk for coronary artery disease in the secondary level of stratified screening due to abnormal graded exercise treadmill test or abnormal image intensified cardiac fluoroscopy. Four in 100 aviators (36/847) had significant cardiovascular disease placing them at substantial risk for unpredictable, sudden incapacitation.

Of 36 aviators with documented significant cardiovascular disease, 32 (88.9 percent) had no symptoms when their disease was detected by the screening program. They were referred for clinical, and in some cases, emergent care.

Four aviators on full flying duties had symptomatic events with one death. One who willfully dodged secondary screening evaluations died suddenly at home after work. One had a myocardial infarction after scheduling for level 2 screening. One had a myocardial infarction despite passing level 2. One developed atrial fibrillation due to undiagnosed cardiomyopathy before entering the screening program. None were in the cockpit during their events.

A fifth aviator had a myocardial infarction about 2 weeks after medical suspension from flying duties for significant coronary artery disease. A sixth aviator who had abnormal level 2 testing, but who declined diagnostic catheterization, was reported to have chest pain followed by sudden death after medical suspension from flying duties (telephonic report only). Many of the 44 suspended aircrew members are lost to followup, so the true postdetection event rate is not known.

The predictive value of positive level 2 screening tests for any degree of coronary artery occlusions ranged from 64 percent to 87 percent. Six of the 21 aviators with significant coronary artery disease had an abnormal cardiac fluoroscopy with normal treadmill tests and normal thallium scans. Thallium scan fails to predict disease ≥ 50 percent of the time. It should not be relied upon to select aeromedical cardiac catheterization candidates when either the graded exercise treadmill test or cardiac fluoroscopy are abnormal.

This study shows the effect of "case finding phenomenon," with a large number of cases found in the initial screening (finding the prevalent cases) followed by a decreasing number of new cases (finding the incident, new cases) after initial screening (Table 6). Patients with significant disease are removed from the screening cohort. Those with normal coronary arteries are entered into a modified followup with level 2 screening being repeated 5 years later.

Summary and conclusions

All Army aircrew members who control Army aircraft participate in a cardiovascular disease screening program. About 1 in 20 aviators flying Army aircraft is a civilian aviator. The command staff of the U.S. Army Aviation Center requested a review of cardiovascular disease screening outcomes among this subgroup of aviators. The AEDR was queried to determine the coronary angiography outcomes of civilian aviators who failed levels 1 and 2 of cardiovascular disease screening program.

Among 847 civilian aviators, 364 failed level 1 cardiovascular disease screening due to elevated risk factors for coronary artery disease. Among the 364, 289 passed level 2 screening with a normal exercise treadmill test and a normal cardiac fluoroscopy. Among the 364, 75 failed level 2 by having an abnormal exercise treadmill test and/or an abnormal cardiac fluoroscopy. These 75 were referred for further diagnostic testing in levels 3 and 4.

Fifty-five aviators underwent coronary angiography. Of these, 17 had normal coronary arteries, 14 had uncomplicated minimal coronary artery disease, 3 had complicated minimal coronary artery disease, and 21 had significant coronary artery occlusions. Eight other aviators had advanced non-coronary artery heart conditions, such as cardiomyopathy. Of the 36 aviators with documented significant cardiovascular disease, 32 (88.9 percent) had no symptoms when their disease was detected by the screening program. They were referred for clinical, and in some cases, emergent care.

The positive predictive value of an abnormal graded exercise treadmill test for significant coronary artery occlusion by coronary angiography was 33.3 percent. The positive predictive value of an abnormal cardiac fluoroscopy for significant coronary artery occlusion by coronary angiography was 53.3 percent. There was a significant association between the finding of cardiac calcifications by cardiac fluoroscopy and significant coronary artery occlusions by angiography ($OR=5.1$, $CI_{0.95}=1.4, 18.9$). Six of the 21 aviators with significant coronary artery disease had an abnormal cardiac fluoroscopy with normal treadmill tests and normal thallium scans. Thallium scan fails to predict disease ≥ 50 percent of the time. Selection of aeromedical catheterization candidates should not be based on thallium scan results when either the graded exercise treadmill test or cardiac fluoroscopy are abnormal.

References

- Booze, C. F. 1989. Sudden inflight incapacitation in general aviation. Aviation, space and environmental medicine. 60:332-335.
- Dark, S. J. 1983. Characteristics of medically disqualified airline pilots. Oklahoma City, OK: Civil Aeronautical Institute, Federal Aviation Administration. FAA Report FAA-AM-83-5.
- Department of the Army. 1989. Memorandum for: All flight surgeons, Subject: Aeromedical technical bulletin 6-89, Aeromedical graded exercise treadmill testing.
- Department of the Army. 1991a. Memorandum for: All flight surgeons, Subject: Aeromedical policy letter 28-91, Cardiovascular disease prevention and detection.
- Department of the Army. 1991b. Memorandum for: All flight surgeons, Subject: Aeromedical technical bulletin 9-91, Cardiac fluoroscopy.
- Hickman, J. R. 1987. Noninvasive methods for the detection of coronary artery disease in aviators: A stratified Bayesian approach. Short course on cardiopulmonary aspects of aerospace medicine. Neuilly sur Seine, France: North Atlantic Treaty Organization Advisory Group for Aerospace Research and Development. AGARD-R-758:2-1 to 2-11.
- Kannel, W. B., and McGee, D. L. 1985. Epidemiology of sudden death: Insights from the Framingham study. Cardiovascular clinics. 15:93-105.
- Kannel, W. B., Doyle, J. T., McNamara, P. M., Quickenton, P., and Gordon, T. 1975. Precursors of sudden coronary death. Circulation. 51:606-13.
- Loecker, T. H., Schwartz, R. S., Cotta, C. W., and Hickman, J. R. 1992. Fluoroscopic coronary artery calcification and associated coronary artery disease in asymptomatic young men. Journal of the American College of Cardiology. 19:1167-72.
- Mason, K. T. 1992. Memorandum for: All Army Aeromedical Consultant Advisory Panel Members, Subject: Summary report of Army Aeromedical Cardiovascular Disease Screening Program for the period 1 Jan 88 to 1 Aug 92.
- Mason, K. T. 1993. Review of using cardiac fluoroscopy in symptomatic and asymptomatic patients. Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory. USAARL Report No. 93-29.
- Mason, K. T., and Shannon, S. G. 1993. Coronary angiography outcomes of U.S. Army aircrew with the finding of coronary artery calcifications. Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory. USAARL Report No. 93-28.

Mason, K. T., and Shannon, S. G. 1994a. Aviation epidemiology data register: Age distribution of U.S. Army aviators stratified by gender and component of service. Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory. USAARL Report No. 94-4.

Mason, K. T., and Shannon, S. G. 1994b. Aviation epidemiology data register: Age-specific medical and nonmedical attrition rates among Fort Rucker civilian aviators. Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory. USAARL Report No. 94-35.

SAS Institute, Incorporated. 1992. SAS® Statistical software. Cary, NC.

Appendix A.

U.S. Army Aeromedical Cardiovascular Disease Screening Program: principles and guidelines

General principle

The principle of the U.S. Army aeromedical cardiovascular disease screening program (ACVDSP) is multiple level stratification of aircrew members based on risk assessment and test findings. First, Army aircrew members are stratified into low and high risk groups for the likelihood of developing cardiovascular disease by assessment of risk factors using history and physical findings. Only aircrew members found to be at high risk in the primary screening are referred to level 2 of noninvasive screening tests (Department of the Army, 1991a). This method applies Bayes theory to enhance the predictive value of the second level screening tests by applying the tests only to a population with a theoretical higher prevalence of underlying disease (Hickman, 1987).

Level 1

Level 1 is the primary level of stratification for screening. Aircrew members are asked questions relating to their cardiovascular system history, to include smoking history. They undergo a resting electrocardiogram (EKG), which is compared to previous tracings. Serum lipids are evaluated, with total cholesterol (T-CHOL) and high density lipoprotein cholesterol (HDL-CHOL) required as a minimum. The Framingham Risk Index is calculated.

Aircrew members with signs and symptoms of cardiovascular disease, such as exertional chest pressure or serial EKG changes, are considered as screening program failures. They are referred for clinical care and evaluation as symptomatic patients.

Asymptomatic aircrew members are divided into low and high risk groups for the likelihood of developing cardiovascular disease by assessment of risk factors. High risk aircrew members are those who are 40 years old and older; and who have a Framingham Risk Index of 5.0 percent or greater, or a serum T-CHOL 270 mg/dl or greater, or a ratio of the serum T-CHOL over the serum HDL-CHOL of 6.0 or greater. High risk aircrew members are referred for secondary level of screening in level 2.

Level 2

Asymptomatic aircrew members at high risk by level 1 screening are referred for secondary screening. Secondary screening tests are graded exercise treadmill test and cardiac fluoroscopy. The graded exercise treadmill test is abnormal if there is greater than or equal to 1.0 mm ST segment depression in any of 12 leads in any 3 consecutive heart beats at any time during the test. Certain exercise induced electrocardiographic arrhythmias, such as ventricular or supraventricular tachycardia, or left bundle branch block, also are abnormal findings (Department of the Army, 1989). The cardiac fluoroscopy is abnormal if any degree of calcification is seen moving synchronously with the heart shadow in a location consistent with coronary artery anatomy by multiple views (Department of the Army, 1991b; Mason and Shannon, 1993; Mason, 1993). Aircrew members with one or more level 2 screening abnormalities are referred for occupational, diagnostic evaluation in level 3 and 4.

Level 3

Aircrew members entering level 3 are referred for noninvasive testing. The tests include 24 hour Holter monitor testing, echocardiogram, and thallium scan. Abnormalities found by these tests may result in medical termination of aviation service, and thus, may be a contraindication for referring the aircrew member to level 4, invasive diagnostic testing. The most common contraindications found by level 3 testing are recurrent, aeromedically significant electrocardiographic arrhythmias and left ventricular hypertrophy (Mason, 1992).

Level 4

Aircrew members entering level 4 are referred for occupational, invasive diagnostic testing. The tests include left heart catheterization with coronary angiography and left ventriculography (Mason, 1992). Electrophysiologic studies are performed as indicated.

Appendix B.

Age distribution table for Fort Rucker civilian aviators.

Table B-1.

Age distribution of civilian aviators examined at Fort Rucker.

Age group	1988	1989	1990	1991	1992
22-23	1	0	0	0	0
24-25	3	4	1	1	0
26-27	15	12	9	7	1
28-29	15	18	21	10	8
30-31	16	19	18	17	10
32-33	22	23	25	18	12
34-35	19	22	23	29	19
36-37	19	18	17	15	23
38-39	31	29	34	21	19
Subtotal age <40	141 23.50%	145 24.17%	148 22.98%	118 19.63%	92 19.05%
40-41	65	59	60	42	18
42-43	50	69	96	70	43
44-45	71	64	69	92	75
46-47	56	53	75	64	43
48-49	48	52	48	50	61
50-51	27	37	43	47	42
52-53	45	31	21	26	28
54-55	29	35	35	28	13
56-57	20	15	18	31	32
58-59	16	11	12	12	14
60 or >	32	29	24	21	22
Subtotal age 40 to 60 or >	459 76.50%	455 75.83%	501 77.20%	483 80.37%	391 80.95%
Total	600	600	649	601	483

Initial distribution

Commander, U.S. Army Natick Research,
Development and Engineering Center
ATTN: SATNC-MIL (Documents
Librarian)
Natick, MA 01760-5040

Library
Naval Submarine Medical Research Lab
Box 900, Naval Sub Base
Groton, CT 06349-5900

Chairman
National Transportation Safety Board
800 Independence Avenue, S.W.
Washington, DC 20594

Executive Director, U.S. Army Human
Research and Engineering Directorate
ATTN: Technical Library
Aberdeen Proving Ground, MD 21005

Commander
10th Medical Laboratory
ATTN: Audiologist
APO New York 09180

Commander
Man-Machine Integration System
Code 602
Naval Air Development Center
Warminster, PA 18974

Naval Air Development Center
Technical Information Division
Technical Support Detachment
Warminster, PA 18974

Commander
Naval Air Development Center
ATTN: Code 602-B
Warminster, PA 18974

Commanding Officer, Naval Medical
Research and Development Command
National Naval Medical Center
Bethesda, MD 20814-5044

Commanding Officer
Armstrong Laboratory
Wright-Patterson
Air Force Base, OH 45433-6573

Deputy Director, Defense Research
and Engineering
ATTN: Military Assistant
for Medical and Life Sciences
Washington, DC 20301-3080

Director
Army Audiology and Speech Center
Walter Reed Army Medical Center
Washington, DC 20307-5001

Commander, U.S. Army Research
Institute of Environmental Medicine
Natick, MA 01760

Commander/Director
U.S. Army Combat Surveillance
and Target Acquisition Lab
ATTN: SFAE-IEW-JS
Fort Monmouth, NJ 07703-5305

Director
Federal Aviation Administration
FAA Technical Center
Atlantic City, NJ 08405

Commander, U.S. Army Test
and Evaluation Command
Directorate for Test and Evaluation
ATTN: AMSTE-TA-M (Human Factors
Group)
Aberdeen Proving Ground,
MD 21005-5055

Naval Air Systems Command
Technical Air Library 950D
Room 278, Jefferson Plaza II
Department of the Navy
Washington, DC 20361

Director
U.S. Army Ballistic
Research Laboratory
ATTN: DRXBR-OD-ST Tech Reports
Aberdeen Proving Ground, MD 21005

Commander
U.S. Army Medical Research
Institute of Chemical Defense
ATTN: SGRD-UV-AO
Aberdeen Proving Ground,
MD 21010-5425

Commander
USAMRDALC
ATTN: SGRD-RMS
Fort Detrick, Frederick, MD 21702-5012

Director
Walter Reed Army Institute of Research
Washington, DC 20307-5100

HQ DA (DASG-PSP-O)
5109 Leesburg Pike
Falls Church, VA 22041-3258

Harry Diamond Laboratories
ATTN: Technical Information Branch
2800 Powder Mill Road
Adelphi, MD 20783-1197

U.S. Army Materiel Systems
Analysis Agency
ATTN: AMXSY-PA (Reports Processing)
Aberdeen Proving Ground
MD 21005-5071

U.S. Army Ordnance Center
and School Library
Simpson Hall, Building 3071
Aberdeen Proving Ground, MD 21005

U.S. Army Environmental
Hygiene Agency
ATTN: HSHB-MO-A
Aberdeen Proving Ground, MD 21010

Technical Library Chemical Research
and Development Center
Aberdeen Proving Ground, MD
21010-5423

Commander
U.S. Army Medical Research
Institute of Infectious Disease
ATTN: SGRD-UIZ-C
Fort Detrick, Frederick, MD 21702

Director, Biological
Sciences Division
Office of Naval Research
600 North Quincy Street
Arlington, VA 22217

Commandant
U.S. Army Aviation
Logistics School ATTN: ATSQ-TDN
Fort Eustis, VA 23604

Headquarters (ATMD)
U.S. Army Training
and Doctrine Command
ATTN: ATBO-M
Fort Monroe, VA 23651

IAF Liaison Officer for Safety
USAF Safety Agency/SEFF
9750 Avenue G, SE
Kirtland Air Force Base
NM 87117-5671

Naval Aerospace Medical
Institute Library
Building 1953, Code 03L
Pensacola, FL 32508-5600

Command Surgeon
HQ USCENTCOM (CCSG)
U.S. Central Command
MacDill Air Force Base, FL 33608

Director
Directorate of Combat Developments
ATTN: ATZQ-CD
Building 515
Fort Rucker, AL 36362

U.S. Air Force Institute
of Technology (AFIT/LDEE)
Building 640, Area B
Wright-Patterson
Air Force Base, OH 45433

Henry L. Taylor
Director, Institute of Aviation
University of Illinois-Willard Airport
Savoy, IL 61874

Chief, National Guard Bureau
ATTN: NGB-ARS
Arlington Hall Station
111 South George Mason Drive
Arlington, VA 22204-1382

Commander
U.S. Army Aviation and Troop Command
ATTN: AMSAT-R-ES
4300 Goodfellow Bouvelard
St. Louis, MO 63120-1798

U.S. Army Aviation and Troop Command
Library and Information Center Branch
ATTN: AMSAV-DIL
4300 Goodfellow Boulevard
St. Louis, MO 63120

Federal Aviation Administration
Civil Aeromedical Institute
Library AAM-400A
P.O. Box 25082
Oklahoma City, OK 73125

Commander
U.S. Army Medical Department
and School
ATTN: Library
Fort Sam Houston, TX 78234

Commander
U.S. Army Institute of Surgical Research
ATTN: SGRD-USM
Fort Sam Houston, TX 78234-6200

AAMRL/HEX
Wright-Patterson
Air Force Base, OH 45433

Air University Library
(AUL/LSE)
Maxwell Air Force Base, AL 36112

Product Manager
Aviation Life Support Equipment
ATTN: SFAE-AV-LSE
4300 Goodfellow Boulevard
St. Louis, MO 63120-1798

Commander and Director
USAE Waterways Experiment Station
ATTN: CEWES-IM-MI-R,
CD Department
3909 Halls Ferry Road
Vicksburg, MS 39180-6199

Commanding Officer
Naval Biodynamics Laboratory
P.O. Box 24907
New Orleans, LA 70189-0407

Assistant Commandant
U.S. Army Field Artillery School
ATTN: Morris Swott Technical Library
Fort Sill, OK 73503-0312

Mr. Peter Seib
Human Engineering Crew Station
Box 266
Westland Helicopters Limited
Yeovil, Somerset BA20 2YB UK

U.S. Army Dugway Proving Ground
Technical Library, Building 5330
Dugway, UT 84022

U.S. Army Yuma Proving Ground
Technical Library
Yuma, AZ 85364

AFFTC Technical Library
6510 TW/TSTL
Edwards Air Force Base,
CA 93523-5000

Commander
Code 3431
Naval Weapons Center
China Lake, CA 93555

Aeromechanics Laboratory
U.S. Army Research and Technical Labs
Ames Research Center, M/S 215-1
Moffett Field, CA 94035

Sixth U.S. Army
ATTN: SMA
Presidio of San Francisco, CA 94129

Commander
U.S. Army Aeromedical Center
Fort Rucker, AL 36362

Strughold Aeromedical Library
Document Service Section
2511 Kennedy Circle
Brooks Air Force Base, TX 78235-5122

Dr. Diane Damos
Department of Human Factors
ISSM, USC
Los Angeles, CA 90089-0021

U.S. Army White Sands
Missile Range
ATTN: STEWS-IM-ST
White Sands Missile Range, NM 88002

U.S. Army Aviation Engineering
Flight Activity
ATTN: SAVTE-M (Tech Lib) Stop 217
Edwards Air Force Base, CA 93523-5000

Ms. Sandra G. Hart
Ames Research Center
MS 262-3
Moffett Field, CA 94035

Commander
USAMRDALC
ATTN: SGRD-UMZ
Fort Detrick, Frederick, MD 21702-5009

Commander
U.S. Army Health Services Command
ATTN: HSOP-SO
Fort Sam Houston, TX 78234-6000

U. S. Army Research Institute
Aviation R&D Activity
ATTN: PERI-IR
Fort Rucker, AL 36362

Commander
U.S. Army Safety Center
Fort Rucker, AL 36362

U.S. Army Aircraft Development
Test Activity
ATTN: STEBG-MP-P
Cairns Army Air Field
Fort Rucker, AL 36362

Commander
USAMRDALC
ATTN: SGRD-PLC (COL R. Gifford)
Fort Detrick, Frederick, MD 21702

TRADOC Aviation LO
Unit 21551, Box A-209-A
APO AE 09777

Netherlands Army Liaison Office
Building 602
Fort Rucker, AL 36362

British Army Liaison Office
Building 602
Fort Rucker, AL 36362

Italian Army Liaison Office
Building 602
Fort Rucker, AL 36362

Directorate of Training Development
Building 502
Fort Rucker, AL 36362

Chief
USAHEL/USAAVNC Field Office
P. O. Box 716
Fort Rucker, AL 36362-5349

Commander, U.S. Army Aviation Center
and Fort Rucker
ATTN: ATZQ-CG
Fort Rucker, AL 36362

Chief
Test & Evaluation Coordinating Board
Cairns Army Air Field
Fort Rucker, AL 36362

Canadian Army Liaison Office
Building 602
Fort Rucker, AL 36362

German Army Liaison Office
Building 602
Fort Rucker, AL 36362

French Army Liaison Office
USAAVNC (Building 602)
Fort Rucker, AL 36362-5021

Australian Army Liaison Office
Building 602
Fort Rucker, AL 36362

Dr. Garrison Rapmund
6 Burning Tree Court
Bethesda, MD 20817

Commandant, Royal Air Force
Institute of Aviation Medicine
Farnborough, Hampshire GU14 6SZ UK

Defense Technical Information
Cameron Station, Building 5
Alexandra, VA 22304-6145

Commander, U.S. Army Foreign Science
and Technology Center
AIFRTA (Davis)
220 7th Street, NE
Charlottesville, VA 22901-5396

Commander
Applied Technology Laboratory
USARTL-ATCOM
ATTN: Library, Building 401
Fort Eustis, VA 23604

Commander, U.S. Air Force
Development Test Center
101 West D Avenue, Suite 117
Eglin Air Force Base, FL 32542-5495

Aviation Medicine Clinic
TMC #22, SAAF
Fort Bragg, NC 28305

Dr. H. Dix Christensen
Bio-Medical Science Building, Room 753
Post Office Box 26901
Oklahoma City, OK 73190

Commander, U.S. Army Missile
Command
Redstone Scientific Information Center
ATTN: AMSMI-RD-CS-R
/ILL Documents
Redstone Arsenal, AL 35898

Director
Army Personnel Research Establishment
Farnborough, Hants GU14 6SZ UK

U.S. Army Research and Technology
Laboratories (AVSCOM)
Propulsion Laboratory MS 302-2
NASA Lewis Research Center
Cleveland, OH 44135

Commander
USAMRDALC
ATTN: SGRD-ZC (COL John F. Glenn)
Fort Detrick, Frederick, MD 21702-5012

Dr. Eugene S. Channing
166 Baughman's Lane
Frederick, MD 21702-4083

U.S. Army Medical Department
and School
USAMRDALC Liaison
ATTN: HSMC-FR
Fort Sam Houston, TX 78234

Dr. A. Kornfield
895 Head Street
San Francisco, CA 94132-2813

NVESD
AMSEL-RD-NV-ASID-PST
(Attn: Trang Bui)
10221 Burbeck Road
Fort Belvoir, VA 22060-5806

CA Av Med
HQ DAAC
Middle Wallop
Stockbridge, Hants S020 8DY UK

Dr. Christine Schlichting
Behavioral Sciences Department
Box 900, NAVUBASE NLON
Groton, CT 06349-5900

Aerospace Medicine Team
HQ ACC/SGST3
162 Dodd Boulevard, Suite 100
Langley Air Force Base,
VA 23665-1995

Commander
Aviation Applied Technology Directorate
ATTN: AMSAT-R-TV
Fort Eustis, VA 23604-5577

COL Yehezkel G. Caine, MD
Surgeon General, Israel Air Force
Aeromedical Center Library
P. O. Box 02166 I.D.F.
Israel

HQ ACC/DOHP
205 Dodd Boulevard, Suite 101
Langley Air Force Base,
VA 23665-2789

41st Rescue Squadron
41st RQS/SG
940 Range Road
Patrick Air Force Base,
FL 32925-5001

48th Rescue Squadron
48th RQS/SG
801 Dezonias Road
Holloman Air Force Base,
NM 88330-7715

35th Fighter Wing
35th FW/SG
PSC 1013
APO AE 09725-2055

66th Rescue Squadron
66th RQS/SG
4345 Tyndall Avenue
Nellis Air Force Base, NV 89191-6076

71st Rescue Squadron
71st RQS/SG
1139 Redstone Road
Patrick Air Force Base,
FL 32925-5000

Director
Aviation Research, Development
and Engineering Center
ATTN: AMSAT-R-Z
4300 Goodfellow Boulevard
St. Louis, MO 63120-1798

Commander
USAMRDALC
ATTN: SGRD-ZB (COL C. Fred Tyner)
Fort Detrick, Frederick, MD 21702-5012

Commandant
U.S. Army Command and General Staff
College
ATTN: ATZL-SWS-L
Fort Leavenworth, KS 66027-6900